


ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION
1	**x**	**D4695-041**	**CHANNEL ASSEMBLY**
2	1	D4695-1	CHANNEL
3	1	D4695-5	CHANNEL
4	3	MS20426AD4-(3)	RIVET







VIEW A-A C2-1
SCALE 4X

D4695-041 LH CHANNEL ASSEMBLY

PRELIMINARY ISSUE


RF 12.04.04


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.75 lbs
8) TRANSFER AND OPEN ∅0.129 FROM D4695-5 TO D4695-1 CHANNEL. CSK∅ 0.220 x 100° D4695-1 CHANNEL PRIOR INSTALLING RIVETS


REV.	DESCRIPTION	BY	DATE
PA4	ADD D4695-042, D4495-2/-2F/-4/-6	RF	12.04.04

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 1 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	

ITEM NO.	QTY. -042	PART NUMBER	DESCRIPTION
1	X	**D4695-042**	**CHANNEL ASSEMBLY**
2	1	D4695-2	CHANNEL
3	1	D4695-6	CHANNEL
4	3	MS20426AD4-(3)	RIVET







VIEW B-B C3-2

D4695-042 RH CHANNEL ASSEMBLY

PRELIMINARY ISSUE

RF 12.04.04


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.74 lbs
8) TRANSFER AND OPEN ∅0.129 FROM D4695-6 TO D4695-2 CHANNEL. CSK∅ 0.220 x 100° D4695-2 CHANNEL PRIOR INSTALLING RIVETS


DESIGN	RF
DRAWN	RF
CHECKED	JC
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	12.04.04

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D4695 — REV. PA4

TITLE: CHANNEL ASSEMBLY — SCALE: NTS






SECTION C-C C3-3


D4695-1 CHANNEL

PRELIMINARY ISSUE
RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-1F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.69 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 3 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	





SECTION D-D D6-4


D4695-2 CHANNEL

PRELIMINARY ISSUE

RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-2F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.69 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	DRAWING NO. D4695 — REV. PA4 — SHEET 4 OF 12
CHECKED	JC	
MFG. APPR.		TITLE: CHANNEL ASSEMBLY — SCALE NTS
APPROVED		
DE APPR.		
DATE	12.04.04	




D4695-1F FLAT PATTERN CHANNEL


PRELIMINARY ISSUE

RF 12.04.04

NOTES:
1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.040
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.69 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 5 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	






VIEW E-E D3-6


D4695-2F FLAT PATTERN CHANNEL


PRELIMINARY ISSUE
RF 12.04.04

NOTES:
1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.040
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.69 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 6 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	







SECTION F-F C4-7


D4695-3 CHANNEL


PRELIMINARY ISSUE


RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-3F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.44 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D4695 — REV. PA4 — SHEET 7 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	







SECTION G-G C5-8


D4695-4 CHANNEL

PRELIMINARY ISSUE

RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-3F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.44 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	[signature]	DRAWING NO. D4695 — REV. PA4 — SHEET 8 OF 12
MFG. APPR.		
APPROVED		TITLE: CHANNEL ASSEMBLY — SCALE: NTS
DE APPR.		
DATE	12.04.04	




D4695-3F FLAT PATTERN CHANNEL


PRELIMINARY ISSUE


RF 12.04.04

NOTES:
1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.040
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.44 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 9 OF 12
MFG. APPR.		
APPROVED		TITLE: CHANNEL ASSEMBLY — SCALE: NTS
DE APPR.		
DATE	12.04.04	








D4695-5 CHANNEL


PRELIMINARY ISSUE


RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-5F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.06 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 10 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	








D4695-6 CHANNEL

PRELIMINARY ISSUE

RF 12.04.04

NOTES:
1) MATERIAL: MAKE FROM D4695-5F FLAT PATTERN
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.06 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 11 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	



D4695-5F FLAT PATTERN CHANNEL

PRELIMINARY ISSUE

12.04.04

NOTES:

1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S.040
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.06 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	JC	DRAWING NO. D4695 — REV. PA4 — SHEET 12 OF 12
MFG. APPR.		
APPROVED		TITLE CHANNEL ASSEMBLY — SCALE NTS
DE APPR.		
DATE	12.04.04	